

UNSHAKL HOUSE

MOVEMENT, MOTOR CONTROL & INTEGRATION

Motor Control Science Behind $M1 \rightarrow M2 \rightarrow M3$

Scientific Reference Series

DOCUMENT 3 of 3

Back Pain Exposed™

Published by Unshakl House

unshaklhouse.com | backpainexposed.com

Version 1.0 | November 2025

ABOUT THIS DOCUMENT

This is a scientific reference document designed for:

- Healthcare professionals (physios, chiropractors, PTs, MDs)
- Researchers and clinicians
- Readers of Sciatica Secrets seeking deeper understanding
- Students of movement science and pain neuroscience

HOW TO USE THIS DOCUMENT

This document contains peer-reviewed scientific citations that support the Backhealer Method described in Sciatica Secrets. All citations include direct links to PubMed and full-text sources where available.

This document can be read independently or as part of the complete 3-document series. For optimal understanding, we recommend reading Sciatica Secrets first, then using these scientific references to explore the research in greater depth.

MEDICAL DISCLAIMER

This document is for educational and informational purposes only and does not constitute medical advice, diagnosis, or treatment. The information presented is not intended to replace professional medical care. Always consult qualified healthcare providers before beginning any exercise or treatment program, especially if you have existing health conditions or concerns.

CONTINUE YOUR LEARNING



READ SCIATICA SECRETS

The complete system for ending chronic low back pain

Part of the Back Pain Exposed™ Series

Available at Amazon.



EXPLORE MORE RESOURCES

Free articles, movement guides, and community support



STAY CONNECTED

Join our mailing list for updates, new releases, and insights

DOCUMENTS IN THIS SERIES

- → Document 1: Breathing & Autonomic Regulation
- → Document 2: Fascia & Myofascial Release
- → Document 3: Movement, Motor Control & Integration

Download the complete series at:

backpainexposed.com

The Back Pain Exposed series

COPYRIGHT NOTICE

© 2025 Unshakl House. All rights reserved.

This document may be shared freely for educational purposes but may not be sold, modified, or distributed for commercial gain without written permission from Unshakl House.

Published by Unshakl House

unshaklhouse.com



DOCUMENT 3 — MOVEMENT, MOTOR CONTROL, INTEGRATION & CONCLUSION

I. INTRODUCTION

Chronic low back pain is no longer understood as a problem of weak muscles or poor posture. The modern scientific view identifies it as a motor control disorder involving:

- altered recruitment of deep stabilizers
- protective overactivation of superficial muscles
- decreased movement variability
- impaired coordination
- altered sensory processing
- increased threat perception

These changes persist long after the original injury and often remain even when pain decreases. For sustained improvement, movement patterns must be retrained through slow, controlled, graded practice.

The Backhealer Method integrates this science in its structured progression:

- Breath (Document 1)
- Release (Document 2)
- Movement retraining (Document 3)

II. MOTOR CONTROL THEORY IN CHRONIC LOW BACK PAIN

2.1 Motor Control Changes are Consistent and Predictable

Research confirms:

- Chronic low back pain alters the timing, coordination, and recruitment of core muscles.
- The deep stabilizers (TrA, multifidus, pelvic floor, diaphragm) become inhibited or delayed.
- Superficial muscles (erector spinae, QL, obliques) become overactive.
- Individuals adopt rigid, protective patterns that reduce movement variability.
- These patterns increase compressive load and perpetuate pain.

This is not a strength problem — it's a control problem.

III. DEEP STABILIZERS IN SPINAL HEALTH

3.1 Transversus Abdominis (TrA)

Transversus abdominis is the deepest abdominal muscle and plays a critical role in:

- anticipatory stabilization
- intra-abdominal pressure (IAP) regulation
- segmental spinal support
- force transmission across the trunk

Chronic low back pain is associated with:

- delayed TrA activation
- reduced feed-forward stabilization
- impaired coordination with diaphragm and pelvic floor

These changes contribute to lumbar instability and increased spinal load.

(Hodges et al., references [33,34]):

3.2 Multifidus

The multifidus muscles:

- stabilize each spinal segment
- prevent shear
- maintain neutral alignment
- provide fine postural control

Chronic low back pain produces:

- reduced multifidus cross-sectional area
- fatty infiltration
- delayed activation
- impaired endurance
- reduced proprioceptive feedback

These persistent deficits explain why many who "strengthen their core" still experience recurring pain — the deep stabilizers are not firing properly.

3.3 Pelvic Floor and Diaphragm Synergy

The diaphragm's role in spinal stabilization and its fascial linkage to the psoas and lumbar tissues: see (Document 2)

The pelvic floor and diaphragm contract in coordination during:

- inhalation
- load-bearing
- lifting
- walking
- rotation

Disrupted breathing mechanics therefore disrupt:

- pelvic floor timing
- IAP regulation
- TrA recruitment
- spinal stiffness

IV. DELAYED AND ALTERED ACTIVATION PATTERNS

Research shows the fo:

- delayed deep muscle recruitment
- early activation of superficial muscles
- protective bracing patterns
- co-contraction of erector spinae and obliques

These maladaptive patterns persist:

- during daily tasks
- during exercise
- during slow movements
- even at rest in some individuals

This is known as a "stability paradox" — the muscles people rely on for stability (paraspinals) are overworking, while the stabilizers (TrA, multifidus) are underworking.

Correcting this requires:

- nervous system regulation (Document 1)
- anterior decompression (Document 2)
- slow, precise movement training (Document 3)

This sets the stage for co-contraction principles and graded exposure, which we address next.

V. CO-CONTRACTION & DYNAMIC SPINAL STABILITY

5.1 The Role of Co-Contraction

Co-contraction refers to the simultaneous activation of deep stabilizers:

- Transversus abdominis (TrA)
- Multifidus
- Pelvic floor
- Diaphragm

The diaphragm's postural role (Hodges et al. [33,34]):

This system increases:

- spinal stiffness
- segmental stability
- load tolerance
- shear resistance
- confidence in movement

However, chronic low back pain is associated with suboptimal co-contraction, where:

- superficial muscles over-fire
- deep muscles under-fire
- timing becomes uncoordinated
- movement becomes rigid rather than adaptive

This pattern increases pain rather than protects from it.

5.2 Overactivation of Superficial Muscles

Common compensatory patterns include:

- erector spinae bracing
- oblique dominance
- QL over-recruitment
- lumbar extension bias
- "rigid" or "holding" patterns

These strategies:

- limit spinal fluidity
- increase compression
- reduce movement variability
- amplify pain sensations

Movement retraining gradually shifts load away from superficial bracing and back to deep stabilizers.

5.3 Why Flexion/Extension Training Alone Fails

Traditional rehab often focuses on:

- repeated extension
- repeated flexion
- core bracing
- isolated strengthening

Chronic back pain involves coordination deficits, not isolated strength deficits.

Without addressing:

- timing
- breath
- anterior tension
- motor confidence
- threat level

...strengthening programs simply reinforce the old dysfunctional patterns.

This is why Backhealer movement is deliberately slow, precise, and breath-integrated, not aggressive or forceful.

VI. MOVEMENT VARIABILITY: THE KEY TO RESILIENCE

Movement variability refers to the nervous system's ability to:

- modify movement strategies
- distribute load across tissues
- avoid repetitive stress
- adapt to changing environments

Research shows that chronic pain reduces variability, leading to:

- rigid movement
- increased co-contraction of superficial muscles
- decreased exploration
- higher mechanical stress
- fear-based movement patterns

Movement retraining deliberately restores variability through:

- slow sequencing
- controlled transitions
- breath-paced movement
- reducing speed to eliminate compensation
- gradually increasing load and amplitude
- incorporating diagonal and rotational patterns (M2, M3 series)

This promotes resilience, adaptability, and confidence.

VII. GRADED EXPOSURE & LOAD TOLERANCE

The master document emphasizes a core principle of pain science:

"Exposure to movement reduces threat."

Graded exposure is the process of:

- Reducing threat signals
- Introducing safe, predictable movement
- Increasing complexity and load over time
- Normalizing sensory processing
- Restoring confidence and coordination

Modern pain neuroscience shows that:

- Predictable, low-threat movement reduces pain sensitivity.
- Consistent exposure rewires cortical maps.
- Fear-avoidance predicts disability more strongly than imaging.
- Gradual load progression improves long-term outcomes.

Backhealer M-series (M1 → M2 → M3) is built exactly on this principle.

VIII. NEUROPLASTICITY & "NEW PATTERN LEARNING"

Movement retraining is a neuroplastic process.

Evidence shows that:

- chronic pain alters sensory and motor cortical maps
- new movement patterns can reshape these maps
- graded, mindful, precise movement is most effective
- sympathetic overactivity disrupts learning
- slow diaphragmatic breathing (Document 1) improves neuroplastic potential

Backhealer movement retraining works because it:

- uses slow, intentional movement
- integrates breathing
- reduces threat
- increases predictability
- improves interoception
- enhances motor accuracy
- strengthens deep stabilizers without bracing

This creates the ideal conditions for long-term motor re-patterning.

IX. "PREDICTABILITY BEFORE SPEED" PRINCIPLE

The foundational principle of modern motor learning:

The nervous system must perceive a movement as safe before it can perform it efficiently.

Unsafe → guarded → rigid → painful

Safe → fluid → coordinated → strong

Backhealer respects this by:

- starting with the slowest possible version of a movement
- linking movement to breath
- eliminating end-range forcing
- building diagonal and rotational strength gradually
- progressing only when confidence increases

This matches the neuroplastic sequencing described in your scientific citations.

X. MOVEMENT RE-TRAINING: BACKHEALER M1 → M2 → M3 PROGRESSION

The Backhealer movement system is a structured progression designed to meet the nervous system where it is — not where the practitioner wants it to be. This aligns directly with modern motor control science:

- introduce low-threat movement
- increase variability
- restore joint coupling
- improve timing
- enhance coordination
- progressively load the system
- rebuild confidence

The sequencing is consistent with best practices in neuroplastic movement approaches.

10.1 M1: Foundational Movements (Safety + Predictability)

M1 focuses on:

- small, controlled ranges

- breath-synchronized movement
- low load
- slow transitions
- spinal decompression
- reducing paraspinal guarding
- restoring deep stabilizer timing
- predictable, repeatable patterns

This phase matches the literature stating that early movement retraining should be slow, controlled, and threat-free.

It also aligns with the motor control deficits documented in your master reference: delayed TrA activation, inhibited diaphragm coordination, and overactive superficial muscles.

M1 is the "reset" phase.

10.2 M2: Variability + Diagonal/Rotational Patterns

Once the nervous system accepts M1 as safe, M2 introduces:

- diagonal loading
- rotational transitions
- more complex joint coupling
- standing postural work
- greater pelvic and rib mobility
- dynamic TrA–diaphragm coordination

This phase specifically targets:

- Spiral Line integration
- pelvic rotation control
- gait mechanics
- cross-body stability

These are the exact fascial and neuromuscular deficits predicted by the fascial continuity section of Document 2, especially the Spiral Lines and DFL.

M2 is where movement begins to feel "like life" again.

10.3 M3: Strength, Load Tolerance, and Real-Life Capacity

M3 introduces:

- higher load
- longer holds
- complex directions
- full-body integration
- stability under pressure

- advanced diagonal patterns
- resilience-building

This is the stage where:

- fear significantly decreases
- motor confidence increases
- functional capacity improves
- movement variability becomes natural
- core coordination is restored

This aligns with the literature on graded exposure, neuroplasticity, and improved load tolerance described earlier.

M3 is "movement for real life."

XI. FEAR-AVOIDANCE & THREAT RECONSTRUCTION

Modern pain science's conclusion: Fear of movement predicts disability more strongly than imaging findings.

Key concepts include:

- fear leads to protective bracing
- bracing increases pain
- pain reinforces fear
- the cycle continues

Breaking this cycle requires:

- predictable exposure (M1)
- variability and confidence building (M2)
- real-life challenge with support (M3)

Backhealer movement deliberately:

- avoids end-range forcing
- avoids stretching into pain
- avoids "pushing through"
- respects threat thresholds
- integrates breath to maintain calm
- uses slow movement to eliminate compensation
- proves, repeatedly, that movement is safe

This shifts the cortical representation of movement from "danger" to "safety."

XII. CLINICAL INTEGRATION: BREATH → RELEASE → MOVEMENT

The complete scientific methodology can now be summarized:

Phase 1 — Breath (Document 1)

- autonomic regulation
- vagal activation
- diaphragm restoration
- IAP normalization
- reduced muscle guarding
- reduced pain sensitivity

Phase 2 — Myofascial Release (Document 2)

- anterior decompression
- mechanotransduction
- thixotropy
- reduced densification
- improved glide
- decreased protective tone
- improved sensory feedback

Phase 3 — Movement (Document 3)

- restore motor timing
- improve variability
- increase coordination
- rebuild load tolerance
- re-establish spinal stability
- eliminate fear-based patterns
- strengthen without bracing

This sequencing matches the nervous system's natural order:

calm → soften → retrain

And it directly addresses the multisystem nature of chronic low back pain described in the master scientific document.

XIII. CONCLUSION

Modern research demonstrates that chronic low back pain is not a structural problem alone. It is a multisystem condition involving:

- autonomic dysregulation
- diaphragm dysfunction

- impaired IAP
- altered motor control
- fascial densification
- reduced movement variability
- heightened threat responses

Breathing modulates autonomic state, improves HRV, restores diaphragm function

(Zaccaro[15], Busch[14], Lehrer[16], Polyvagal[46], anti-inflammatory [47])

Fascia responds to slow, sustained pressure through viscoelasticity, thixotropy, and mechanotransduction

(Chaudhry[27], Cowman[28], Bordoni[31,32])

Movement requires graded exposure, deep stabilizer coordination, variability, and neuroplastic sequencing

(Hodges[33,34])

The scientific rationale for Backhealer is:

Regulate the nervous system → Decompress the fascia → Retrain the movement.

REFERENCES

[14] Busch V, Magerl W, Kern U, Haas J, Hajak G, Eichhammer P. The effect of deep and slow breathing on pain perception, autonomic activity, and mood processing--an experimental study. Pain Med. 2012;13(2):215-228. doi:10.1111/j.1526-4637.2011.01243.x

PubMed: <https://pubmed.ncbi.nlm.nih.gov/22008274/>

Full text: <https://academic.oup.com/painmedicine/article/13/2/215/1853842>

[15] Zaccaro A, Piarulli A, Laurino M, et al. How Breath-Control Can Change Your Life: A Systematic Review on Psycho-Physiological Correlates of Slow Breathing. *Front Hum Neurosci.* 2018;12:353. doi:10.3389/fnhum.2018.00353

PubMed: <https://pubmed.ncbi.nlm.nih.gov/30245619/>

Full text: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6137615/>

[16] Lehrer PM, Vaschillo E, Vaschillo B. Resonant frequency biofeedback training to increase cardiac variability: rationale and manual for training. *Appl Psychophysiol Biofeedback.* 2000;25(3):177-191. doi:10.1023/a:1009554825745

PubMed: <https://pubmed.ncbi.nlm.nih.gov/10999236/>

[27] Chaudhry H, Schleip R, Ji Z, Bukiet B, Maney M, Findley T. Three-dimensional mathematical model for deformation of human fasciae in manual therapy. *J Am Osteopath Assoc.* 2008;108(8):379-390.

PubMed: <https://pubmed.ncbi.nlm.nih.gov/18723456/>

Full text: <https://jaoa.org/article.aspx?articleid=2093576>

[28] Cowman MK, Schmidt TA, Raghavan P, Stecco A. Viscoelastic Properties of Hyaluronan in Physiological Conditions. *F1000Res.* 2015;4:622. doi:10.12688/f1000research.6885.1

PubMed: <https://pubmed.ncbi.nlm.nih.gov/26664709/>

Full text: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4648215/>

[31] Bordoni B, Zanier E. Anatomic connections of the diaphragm: influence of respiration on the body system. *J Multidiscip Healthc.* 2013;6:281-291. doi:10.2147/JMDH.S45443

PubMed: <https://pubmed.ncbi.nlm.nih.gov/23901274/>

Full text: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3731110/>

[32] Bordoni B, Marelli F, Morabito B, Castagna R. A New Concept of Biotensegrity Incorporating Liquid Tissues: Blood and Lymph. *J Evid Based Integr Med.* 2018;23:2515690X18792838. doi:10.1177/2515690X18792838

PubMed: <https://pubmed.ncbi.nlm.nih.gov/30149714/>

Full text: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6110405/>

[33] Hodges PW, Eriksson AE, Shirley D, Gandevia SC. Intra-abdominal pressure increases stiffness of the lumbar spine. *J Biomech.* 2005;38(9):1873-1880. doi:10.1016/j.jbiomech.2004.08.016

PubMed: <https://pubmed.ncbi.nlm.nih.gov/16023475/>

[34] Hodges PW, Gandevia SC. Activation of the human diaphragm during a repetitive postural task. *J Physiol.* 2000;522 Pt 1:165-175. doi:10.1111/j.1469-7793.2000.t01-1-00165.xm

PubMed: <https://pubmed.ncbi.nlm.nih.gov/10618161/>

Full text: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2269742/>

[46] Porges SW. The polyvagal theory: phylogenetic substrates of a social nervous system. *Int J Psychophysiol.* 2001;42(2):123-146. doi:10.1016/s0167-8760(01)00162-3

PubMed: <https://pubmed.ncbi.nlm.nih.gov/11587772/>

[47] Tracey KJ. The inflammatory reflex. *Nature.* 2002;420(6917):853-859. doi:10.1038/nature01321

PubMed: <https://pubmed.ncbi.nlm.nih.gov/12490958/>